

Supplement 2. 3D Brain Lesion Volume Metric Measurement (mL)

Supplementary file for:

“Analyzing the early clinical and imaging outcomes of STA-MCA bypass surgery via three-dimensional volumetric measurement in patients with intracranial atherosclerosis”

Supplement 2: 3D Brain lesion volume metric measurement (mL)

Pt. No.	Pre-op volume (mL)				Immediate post-op volume (mL)				Post-op 30 days volume (mL)			
	CBF	CBV	MTT	Tmax	CBF	CBV	MTT	Tmax	CBF	CBV	MTT	Tmax
1	39.70	6.90	73.50	255.60	N/A	N/A	N/A	N/A	19.30	3.38	29.20	77.10
2	78.50	0.98	185.90	208.90	18.00	0.00	138.80	182.90	21.50	0.00	68.10	173.00
3	54.30	1.33	364.20	322.00	50.30	0.00	253.10	313.20	35.60	0.00	217.90	251.80
4	82.10	8.37	199.50	301.50	75.80	10.30	224.20	233.10	N/A	N/A	N/A	N/A
5	183.90	22.30	333.90	321.70	89.20	9.25	198.30	257.20	N/A	N/A	N/A	N/A
6	168.10	0.00	255.60	337.50	N/A	N/A	N/A	N/A	136.50	0.00	250.50	263.00

Pt. No., patient number

All patients included in this analysis fulfilled the detailed inclusion and exclusion criteria (see Supplementary Criteria file).